FRENCH ROCKS DIVISION. The 20th March 1899.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, French Rocks division, up to 15th April 1899, for constructing the Executive Engineer's quar-

An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1900.

2. The plans, detailed estimate, and conditions may be seen at the Executive Engineer's office at French Rocks between the hours of 11-30 A.M. to 4-30 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the ates at which the different items specified will be executed.

- 4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tenders for constructing Executive Engineer's Quarters at French Rocks," in default of which tenders will be rejected.

5. The first acceptance or any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any

Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

notice board in the Executive Eagineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

7. The name of the successful competitor whose tender has been accepted will be posted on the 8. On acceptance of one of the tenders the earnest money on rejected tenders will be returned. Unit of work. Rate per Clearing site unit. Excavating foundation ... L.S. Stone in mortar for foundation C. yd. 113 C. it. Do 2,008 basement kick in mortar La in mud 1,981 73 Flat rch in brick in mortar 13,400 23 Semicrcular arch work 96 25 Burntstone slabs, dressed 216 21 Plasteing with mortar 321 Whitevashing interior Sgr. 180.54 Pointing with mortar 111.63 Flooring with chunam concrete 5.9019 Do with Mangalore square floor tiles, &c. 20.64 12 Teakwood wrought and put up 4.32 C. ft. Honne wood work 303.88

Honne wood work	-	1	**	U. II.	303.88
Terraing flat 9" thick	* *	• •	••	39	124.39
Rengil terracing	••	* *	• •	Sqr.	20.64
Roofing with Mangalore pat	tern tiles and to	* a	**	12	0.52
Ridging do	ridge tile	eak reepers	* *		28.77
Cornice, 2nd class	ruge me	•	a) p	R. ft.	144
Do 3rd class	**	**		53.	363
Do string courses, &c.		* *		27	80
Teaky ood doors with nannoll	led shutters			~11	54
Do Windows with glaze	ed shutters insid	la au 3 1 . 70		S. ft	269
and half venet	ian shuttore on	ie and half pa	nnelled	259	406.
bars, frames, &c	F STATEGER OF	uside, includi	ing iron	.,	
Teak windows with glazed s	butters and non	mall J I			
cluding iron bars	s. &c	meriea shutte	ers, in-	27	68
Teak Windows with nannelled	chattons and .	non L		"	
		ron dare	**	77	28
THE PROPERTY OF THE PROPERTY O	nointing &		• •	"	54
Teak Sunskaues with eave h	nords and C 1	* *	* *	each.	5
matting with rind of thin ban	thous	8	* *	S. ft.	452
wood-olling, two coats	10003 .,	••		Sqr.	13.46
Silicate painting		* 4	* b	11	22.96
Earth filling and basement	••	**		19	38 30
Compusation for land	••	**	**	C. yd.	160
Honne wood doors with frame	s and hottoned.	-1	4 0	L. S.	
Do windows with framing iron hars	mes and battone	snutters		S. ft.	66
ing iron bars.	mos and partiene	ed shutters, in	nclud-	19	27
	zed shrittore :	ail. 11			
shutters outside, incl	zed shutters in	side and batt	ened	33	12
Ventilating tiles	adme non bars	3.		**	
Graveiling the floor			**	each,	12
•	* *			A 2	

3 E

20

C. yd.

The 29th March 1899.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, French Rocks division, up to 22nd April 1899, for opening out Sluice Channels below Heraganahalli Tank Registered No. 113, Nagamangala taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1900.

2. The plans, detailed estimate, and conditions may be seen at the Executive Engineer's office

1

at French Rocks, between the hours of 11 A. M. and 5 P. M. 3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement, in the form-given below, showing the

rates at which the different items specified will be executed. 4. Each tender must be accompanied by a deposit of Rs. 100 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tenders for opening out Sluice Channels of Heraganahallı Tank Registered No. 113, Nagamangala taluk," in default of which tenders will be rey 1-11 1 - 1-11 11.

ected. 5. The first acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any

Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and a latter to \$ \$1 are some or become his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders the earnest money on rejected tenders will be returned.

Description of work.			It Unit	t-of-Work	Rate per	unit
Earthwork cutting channel	••		. C. yds	. 9,212		
Do embankment with forming		•	• 27	3,297	· -	
Turfing	**			ımp sum. 📜 😁	i ya aldamar	٠
Mile and zero stones						
Bed grade stones	* •		. Each	t _i 48		
Bank grade stones	* 4		4 59			,
Irrigation sluices	••		4 ; 3)	. 22	y was the	. *
Earthwork excavation			. C. yd.		1.	
Do for training bank				···· · · 933		
Brick in surki mortar			. C. ft.	1 - 5,336	a commy by	
Burnt stone slabs		4	•)1	526		
Surki concrete	**		•))	- : 225	I wisher to the	
Plastering with surki mortar				20.57		
New stone work			. C. yd.	342	t in an adjation	
Clearing site				ımp sum. 🤭 🤥		1
Gravelling	*	1	. Cyfl.	Jun 5 6 6		
Guard stones			Each.	8		
Blasting rock			. C.yd.	114	Fr + ~ · · · · · ·	
Groved stones	76 H		. Cit.		Secret Pro	
Teak wood plank shutters, complete	* **		Sq. ft.	The region of	1 100 -	
Natural waste weirs			my Lach.	*	3 . 17.7-	
			C. MADAVA	RAO, Offg. Ex	ce. Engr	

MYSORE DIVISION.

Notice, dated 3rd April 1899. Notice is hereby given that the following amounts are outstanding in the accounts of this office. If the parties themselves or their legal heirs or representatives do not claim and receive payments within one month from this date, the amounts will be credited to Government:—payments within one month from this date, the amounts will be credited to Government:—

100	0	0	in deposit—Earnest money due to Siddegowda and Muddegowda, for m-
			proving Rajaparineswary channel.
75	0	0	do—Arrear due to Linga for annual repairs of Mandya-Bannur
			road.
49	11	11	do-Arrear due to Davannah for sinking a well in the travellers'
			bungalow at Hampapur, the state of the state
0	12	0	Arrear due to Venkata Rao for annual repairs of Katemalal-
			wady channel.
2	8	. 0	Arrear due to Naranappa for annual repairs of Madras-Cama-
		-	noor road. Arrear due to Kala for do
0	1	6-	Arrear due to Kala for do
2	2	0	do—Puttaboyee for do
12	11	. 3	Arrear due to C. Shamanna for annual repairs of Madras-Can-
			nanoor road.
0	Ó	4	Arrear due to Kempiah for annual repairs of Hunsur-Begur-
	75 49 0 2 0 2	75 0 49 11 0 12 2 8 0 1 2 2	75 0 0 49 11 11

road.

C. A. MAHADEVA SASTRY. Executive Engineer.

The 29th March 1899.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, French Rocks division, up to 22nd April 1899, for opening out Sluice Channels below Heraganahalli Tank, Registered No. 113, Nagamangala taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1900.

2. The plans, detailed estimate, and conditions may be seen at the Executive Engineer's office at French Rocks, between the hours of 11 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive The tenders should be accompanied by a statement, in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 100 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tenders for opening out Sluice Channels of Heraganahallı Tank Registered No. 113, Nagamangala taluk," in default of which tenders will be re-Inon 1 ected.

The first acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any

Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and my lake to bell more or the his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. P. No enquiries regarding the acceptance the many that the the land to the or rejection of a tender will receive any reply.

On acceptance of one of the tenders the earnest money on rejected tenders will be returned. ... Unit of Work Description of work. 9,212 C. yds. Earthwork cutting channel 3,297 embankment with forming Do Lump sum. Turfing Ware Breeze No. Mile and zero stones Each. 48 Bed grade stones Bank grade stones 22

Irrigation sluices 598 . Earthwork excavation 933 Do for training bank -- - 5,336 Brick in surki mortar 526 Burnt stone slabs - 225 -----Surki concrete . Sq:. 20.57 Plastering with surki mortar 342 C. yd. New stone work ... Lump sum... Clearing site Cycle for home Gravelling Each. Guard stones Blasting rock Cit. Groved stones Sq. ft. Teak wood plank shutters, complete Each. Natural waste weirs C. MADAVA RAO, Offg. Exec. Eng.

MYSORE DIVISION.

Notice, dated 3rd April 1899. Notice is hereby given that the following amounts are-outstanding in the accounts of this office. If the parties themselves or their legal heirs or representatives do not claim and receive payments within one month from this date, the amounts will be credited to Government: Rs. 100 0 0 in deposit—Earnest money due to Siddegowda and Muddegowda, for im-

ns.	100	U	U	111	proving Rajaparmeswary channel.
R_{s}	75	0	0		I do to Tange for annual repairs of Kiangya-Dannur
1,013.		-		•	mand .
Pa	49	17	11		do—Arrear due to Davannah for sinking a well in the travellers'
Tro	-10				han and our at Hammanill's a state of the state of the
Rs.	Λ	12	0		Arrear due to Venkata Rao for annual repairs of Katemanal.
DS.	U	1 ==			and der channel
T)	0	Q	0		Armon due to Naranappa for annual repairs of Mauras-Cama-
Rs.	4	0	3 41		moon road
T)	0	1	i'a		Arroan due to Kala for do do do do do
Rs.					To Dotte home for
Rs.	2	2	,0		Arrear due to C. Shamanna for annual repairs of Madras-Can-
Rs.	12	11	. 3		Arrear due to O., Oranicative
					nanoor road.
Re	. 0	Ó	4,		Arrear due to Kempiah for annual repairs of Hunsur-Begur
a GiV.u,	, ,	-			road.
*					C. A. Mahadeva Saster.

Executive Engineer.